L Number	Hits	Search Text	DB	Time stamp
1	1305	((138/153) or (138/151) or (138/114)).CCLS.	USPAT; US-PGPUB	2003/12/17 14:34
2	160	(464/181).CCLS.	USPAT; US-PGPUB	2003/12/17 14:34
3	2517	pultrusion	USPAT; US-PGPUB	2003/12/17 14:35
4	14	((464/181).CCLS.) and pultrusion	USPAT; US-PGPUB	2003/12/17 14:41
5	33	("1858650" | "2440144" | "2869339" | "3479704" | "3553978" | "3632263" | "3659434" | "3707113" | "3716612" | "3968561" | "4038359" | "4063429" | "4101617" | "4169304" | "4216634" | "4256685" | "4372668" | "4380442" | "4474717" | "4555225" | "4600548" | "4660963" | "4800057" | "4988472" | "5425675" | "5439416" | "5533247" | "5538475" | "5683641" | "5744238" | "5876288" | "5893210" | "5913937").PN.	USPAT	2003/12/17 14:36
6	12	("2751765" | "4014184" | "4649960" | "4909361" | "5566721" | "5685344" | "5762109" | "5868627" | "5924531" | "5976021" | "6241062" | "6279221").PN.	USPAT	2003/12/17 14:38
7	9	(((138/153) or (138/151) or (138/114)).CCLS.) and pultrusion	USPAT; US-PGPUB	2003/12/17 14:42
8	1462	(((138/153) or (138/151) or (138/114)).CCLS.) or ((464/181).CCLS.)	USPAT; US-PGPUB	2003/12/17 14:42
9	55784	transmission with shaft	USPAT; US-PGPUB	2003/12/17 14:42
10	5526	tensile with elasticity	USPAT; US-PGPUB	2003/12/17 14:43
12	2	(tensile with elasticity) and ((transmission with shaft) and pultrusion)	USPAT; US-PGPUB	2003/12/17 14:43
11	16	(transmission with shaft) and pultrusion	USPAT; US-PGPUB	2003/12/17 14:45
15	16136	fiber with bundle	USPAT; US-PGPUB	2003/12/17 14:46
16	9	((((138/153) or (138/151) or (138/114)).CCLS.) or ((464/181).CCLS.)) and (fiber with bundle)	USPAT; US-PGPUB	2003/12/17 14:46
17	19	("4089190" | "4171626" | "4238540" | "4248062" | "4569710" | "4605385" | "4664644" | "4863416" | "4888224" | "4963210" | "5061533" | "5110644" | "5222915" | "5288109" | "5342464" | "5683300" | "5836825" | "5851152" | "6240971").PN.	USPAT	2003/12/17 14:46
14	12	((((138/153) or (138/151) or (138/114)).CCLS.) or ((464/181).CCLS.)) and (tensile with elasticity)	USPAT; US-PGPUB	2003/12/17 14:48
13	65	((((138/153) or (138/151) or (138/114)).CCLS.) or ((464/181).CCLS.)) and (transmission with shaft)	USPAT; US-PGPUB	2003/12/17 14:53
18	128970	liner or lining	USPAT; US-PGPUB	2003/12/17 14:53
20	145	((((138/153) or (138/151) or (138/114)).CCLS.) or ((464/181).CCLS.)) and (liner or lining)	USPAT; US-PGPUB	2003/12/17 14:53
19	9	((464/181).CCLS.) and (liner or lining)	USPAT; US-PGPUB	2003/12/17 14:54
21	136	(((((138/153) or (138/151) or (138/114)).CCLS.) or ((464/181).CCLS.)) and (liner or lining)) not (((464/181).CCLS.) and (liner or lining))	USPAT; US-PGPUB	2003/12/17 14:58
22	2070	(liner or lining) and (transmission with shaft)	USPAT; US-PGPUB	2003/12/17 14:56
23	4	((liner or lining) and (transmission with shaft)) and pultrusion	USPAT; US-PGPUB	2003/12/17 14:57
24	4	((liner or lining) and (transmission with shaft)) and (tensile with elasticity)	USPAT; US-PGPUB	2003/12/17 14:57

C:\APPS\east\workspaces\~newdefault.wsp

| 25 | 282 | (((464/181).CCLS.) and pultrusion) or (("1858650" \| "2440144" \| "2869339" \| "3479704" \| "3553978" \| "3632263" \| "3659434" \| "3707113" \| "3716612" \| "3968561" \| "4038359" \| "4063429" \| "4101617" \| "4169304" \| "4216634" \| "4256685" \| "4372668" \| "4380442" \| "4474717" \| "4555225" \| "4600548" \| "4660963" \| "4800057" \| "4988472" \| "5425675" \| "5439416" \| "5533247" \| "5538475" \| "5683641" \| "5744238" \| "5876288" \| "5893210" \| "5913937").PN.) or (("2751765" \| "4014184" \| "4649960" \| "4909361" \| "5566721" \| "5685344" \| "5762109" \| "5868627" \| "5924531" \| "5976021" \| "6241062" \| "6279221").PN.) or (((((138/153) or (138/151) or (138/114)).CCLS.) and pultrusion) or ((transmission with shaft) and pultrusion) or ((tensile with elasticity) and ((transmission with shaft) and pultrusion)) or ((((((138/153) or (138/151) or (138/114)).CCLS.) or ((464/181).CCLS.)) and (fiber with bundle)) or (("4089190" \| "4171626" \| "4238540" \| "4248062" \| "4569710" \| "4605385" \| "4664644" \| "4863416" \| "4888224" \| "4963210" \| "5061533" \| "5110644" \| "5222915" \| "5288109" \| "5342464" \| "5683300" \| "5836825" \| "5851152" \|"6240971").PN.) or ((((((138/153) or (138/151) or (138/114)).CCLS.) or ((464/181).CCLS.)) and (transmission with shaft)) or ((((138/153) or (138/151) or (138/114)).CCLS.) or ((464/181).CCLS.)) and (tensile with elasticity)) or (((464/181).CCLS.) and (liner or lining)) or ((((((138/153) or (138/151) or (138/114)).CCLS.) or ((464/181).CCLS.)) and (liner or lining)) not (((464/181).CCLS.) and (liner or lining))) or (((liner or lining) and (transmission with shaft)) and pultrusion) or (((liner or lining) and (transmission with shaft)) and (tensile with elasticity)) | USPAT; US-PGPUB | 2003/12/17 14:59 |
| 26 | 1232 | (((((138/153) or (138/151) or (138/114)).CCLS.) or ((464/181).CCLS.)) not ((((464/181).CCLS.) and pultrusion) or (("1858650" \| "2440144" \| "2869339" \| "3479704" \| "3553978" \| "3632263" \| "3659434" \| "3707113" \| "3716612" \| "3968561" \| "4038359" \| "4063429" \| "4101617" \| "4169304" \| "4216634" \| "4256685" \| "4372668" \| "4380442" \| "4474717" \| "4555225" \| "4600548" \| "4660963" \| "4800057" \| "4988472" \| "5425675" \| "5439416" \| "5533247" \| "5538475" \| "5683641" \| "5744238" \| "5876288" \| "5893210" \| "5913937").PN.) or (("2751765" \| "4014184" \| "4649960" \| "4909361" \| "5566721" \| "5685344" \| "5762109" \| "5868627" \| "5924531" \| "5976021" \| "6241062" \| "6279221").PN.) or (((((138/153) or (138/151) or (138/114)).CCLS.) and pultrusion) or ((transmission with shaft) and pultrusion) or ((tensile with elasticity) and ((transmission with shaft) and pultrusion)) or ((((((138/153) or (138/151) or (138/114)).CCLS.) or ((464/181).CCLS.)) and (fiber with bundle)) or (("4089190" \| "4171626" \| "4238540" \| "4248062" \| "4569710" \| "4605385" \| "4664644" \| "4863416" \| "4888224" \| "4963210" \| "5061533" \| "5110644" \| "5222915" \| "5288109" \| "5342464" \| "5683300" \| "5836825" \| "5851152" \| "6240971").PN.) or ((((((138/153) or (138/151) or (138/114)).CCLS.) or ((464/181).CCLS.)) and (transmission with shaft)) or ((((138/153) or (138/151) or (138/114)).CCLS.) or ((464/181).CCLS.)) and (tensile with elasticity)) or (((464/181).CCLS.) and (liner or lining)) or ((((((138/153) or (138/151) or (138/114)).CCLS.) or ((464/181).CCLS.)) and (liner or lining)) not (((464/181).CCLS.) and (liner or lining))) or (((liner or lining) and (transmission with shaft)) and pultrusion) or (((liner or lining) and (transmission with shaft)) and (tensile with elasticity))) | USPAT; US-PGPUB | 2003/12/17 15:00 |

	Document ID	Current OR	Current XRef	2	3	4	5
1	US 20020128080 A1	464/181	264/513; 264/572	☒	☐	☒	☐
2	US 20020117228 A1	138/153	138/114; 138/151; 464/181	☒	☒	☒	☒
3	US 6517440 B2	464/179	264/274; 464/181; 464/183	☒	☐	☒	☐
4	US 5893210 A	29/895.32	264/274; 264/275; 29/895.21; 400/662; 492/47; 492/54	☐	☐	☐	☐
5	US 5876288 A	464/181	264/267; 264/273	☐	☐	☐	☐
6	US 5683641 A	264/267	264/273	☐	☐	☐	☐
7	US 5538475 A	464/181		☒	☐	☒	☐
8	US 5425675 A	464/28	464/180; 464/183	☐	☐	☐	☐
9	US 3659434 A	29/407.01	464/180; 464/181; 74/573R	☐	☐	☐	☐
10	US 6409606 B1	464/181	138/114; 138/143; 464/183; 464/902	☒	☒	☒	☐
11	US 6279221 B1	29/527.2	29/428; 403/359.6	☐	☐	☐	☐
12	US 6241062 B1	188/378	188/18A; 188/372; 188/67; 267/136	☐	☐	☐	☐
13	US 5976021 A	464/180	138/109; 277/625; 464/183	☐	☐	☐	☐

	Document ID	Current OR	Current XRef	2	3	4	5
14	US 5924531 A	188/372	464/180	☐	☐	☐	☐
15	US 4265951 A	428/35.9	156/172; 156/173; 156/188; 156/189; 156/191; 156/194; 285/114; 285/242; 464/181	☒	☐	☒	☐
16	US 4238540 A	428/35.9	156/172; 156/173; 156/175; 156/189; 428/34.5; 428/367; 464/181; 464/183	☒	☐	☒	☐
17	US 4171626 A	464/181	138/130; 138/144; 138/DIG.2; 156/173; 428/34.5; 428/367; 428/392; 428/408; 428/902	☒	☐	☒	☒
18	US 6148866 A	138/125	138/114; 138/123; 174/47	☒	☒	☐	☐
19	US 5921285 A	138/125	138/114; 138/123; 174/47	☒	☒	☐	☐
20	US 5913337 A	138/125	138/130; 138/132; 138/144; 138/153; 138/174	☒	☐	☐	☐

	Document ID	Current OR	Current XRef	2	3	4	5
21	US 5015514 A	428/36.4	138/140; 138/153; 138/172; 337/186; 337/246; 337/273; 337/276; 337/414; 428/36.91	☒	☐	☐	☐
22	US 6350204 B1	464/181	156/172; 464/183	☐	☐	☐	☒
23	US 6240971 B1	138/153	138/134; 138/141	☐	☐	☐	☐
24	US 5851152 A	464/181	464/183	☐	☐	☒	☐
25	US 5683300 A	464/181	242/447.1; 464/183	☐	☐	☒	☐
26	US 5342464 A	156/172	156/187; 156/242; 156/293; 156/309.6; 464/181; 464/182; 464/183	☐	☐	☐	☐
27	US 5061533 A	428/36.3	428/110; 428/113; 492/53; 492/59	☐	☐	☐	☐
28	US 4888224 A	428/35.9	138/128; 138/141; 428/397; 428/902; 464/181	☐	☐	☒	☐
29	US 4664644 A	464/180	156/172; 428/34.5; 428/35.9; 428/36.3; 464/181	☐	☐	☒	☐

	Document ID	Current OR	Current XRef	2	3	4	5
30	US 4248062 A	464/181	138/130; 156/143; 156/148; 156/149; 156/173; 464/58	☐	☐	☒	☐
31	US 6508276 B2	138/125	138/124; 138/153	☐	☒	☐	☐
32	US 4713040 A	464/132	464/181; 464/183	☐	☒	☒	☐
33	US 4657795 A	280/281.1	138/153; 138/172; 138/DIG.2; 138/DIG.3; 428/34.5; 428/36.1; 428/36.3; 442/21; 442/23; 442/24; 87/9	☐	☒	☐	☐
34	US 4663819 A	29/432	29/525; 403/282; 403/283; 403/359.2; 464/181	☐	☐	☒	☐
35	US 4272971 A	464/181	138/141; 138/153; 138/174; 464/183; 464/903	☐	☐	☒	☐
36	US 5363929 A	175/107	428/36.3; 464/181	☐	☐	☐	☐
37	US 3071162 A	138/140	138/118; 138/153; 138/DIG.2; 264/DIG.53	☐	☐	☐	☐

	Document ID	Current OR	Current XRef	2	3	4	5
38	US 2379258 A	144/349	138/151; 144/346; 144/351; 156/192; 156/304.1; 493/274; 493/297; 493/303	☐	☐	☐	☐
39	US 2369204 A	138/114	138/148; 29/455.1; 29/517; 29/523	☐	☐	☐	☐